

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	4/1/2025	Sample ID:	20250324-URBN-005
Client Name:	urbanXtracts	Sample Name:	1oz 600mg Water-Soluble Elixir
Sampling Location:	Warwick, New York	Sample Matrix:	Edible
Contact Name:	Nick Jakubowsky	Sample Sub Type:	Tincture
Contact Email:	nickjack.uxny@gmail.com	Package ID:	
License Number:	OCM-PROC-24-000083	Batch Lot ID:	SAT-WST-0325-1OZ
Medical/Adult Use:	Adult Use	Batch Size:	1034
Sampling Date:	03/24/2025 03:14:00 PM	Serving Size (mL):	0.25

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	-	Microbiological	P	Residual Solvents	P	Terpenes	P
		Moisture	-	Filth & Foreign Material	-		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: 1oz 600mg Water-Soluble Elixir (20250324-URBN-005)			
Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)			
Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.042
CBDA	< MRL	< MRL	0.042
CBGA	< MRL	< MRL	0.042
CBG	< MRL	< MRL	0.042
CBD	< MRL	< MRL	0.042
THCV	< MRL	< MRL	0.042
CBN	< MRL	< MRL	0.042
D9-THC	2.055	5.138	0.042
D8-THC	< MRL	< MRL	0.042
D10-THC-S	< MRL	< MRL	0.042
D10-THC-R	< MRL	< MRL	0.042
CBC	< MRL	< MRL	0.042
THCA	< MRL	< MRL	0.042

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)

Test ID: #101075 | Date Tested: 03/25/2025 05:27 PM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta^8\text{-THC} + \Delta^9\text{-THC} + \Delta^{10}\text{-THC} + (\text{THCA} * 0.877)$]	2.055	5.138
Total CBD [$\text{CBD} + (\text{CBDA} * 0.877)$]	< MRL	< MRL
Total Cannabinoids	2.055	5.138



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: 1oz 600mg Water-Soluble Elixir (20250324-URBN-005)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.21
Camphene	< MRL	0.21
Sabinene	< MRL	0.21
beta-Pinene	< MRL	0.21
beta-Myrcene	< MRL	0.21
Alpha-phellandrene	< MRL	0.21
Carene	< MRL	0.21
alpha-terpinene	< MRL	0.21
p-Cymene	< MRL	0.21
Limonene	< MRL	0.21
Eucalyptol	< MRL	0.21
Ocimene	< MRL	0.15
gamma-Terpinene	< MRL	0.21
Sabinene Hydrate	< MRL	0.21
Terpinolene	< MRL	0.21
Linalool	< MRL	0.21
Fenchol	< MRL	0.21
Menthol	< MRL	0.21
Terpineol	< MRL	0.21
Citronellol	< MRL	0.21
Isopulegol	< MRL	0.21
Geraniol	< MRL	0.21
Alpha-cedrene	< MRL	0.17
Beta-Caryophyllene	< MRL	0.21
Farnesene	< MRL	0.21
alpha-Humulene	< MRL	0.21
Valencene	< MRL	0.21
cis-Nerolidol	< MRL	0.08
trans-Nerolidol	< MRL	0.13
Caryophyllene oxide	< MRL	0.21
Guaiol	< MRL	0.21
alpha-Bisabolol	< MRL	0.21

MRL = Minimum reporting limit/limit of quantification

Test ID: #101080 | Date Tested: 03/26/2025 08:33 AM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	< MRL	10	PASS



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Residual Solvents: 1oz 600mg Water-Soluble Elixir (20250324-URBN-005) PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (GC-MS: SOP-067-GA, SOP-010-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	0.213
2-Propanol	PASS	< MRL	5000	31.951
Acetone	PASS	< MRL	5000	6.390
Acetonitrile	PASS	< MRL	410	2.620
Butanes, total	PASS	< MRL	5000	31.951
Benzene	PASS	< MRL	2	0.043
Chloroform	PASS	< MRL	60	0.383
Dichloromethane	PASS	< MRL	600	3.834
Dimethyl Sulfoxide	PASS	< MRL	5000	57.511
Ethanol	PASS	< MRL	5000	31.951
Ethyl acetate	PASS	< MRL	5000	31.951
Ethyl ether	PASS	< MRL	5000	31.951
n-Heptane	PASS	< MRL	5000	31.951
Hexanes, total	PASS	< MRL	290	1.853
Methanol	PASS	< MRL	3000	19.170
Pentanes, total	PASS	< MRL	5000	31.951
Propane	PASS	< MRL	5000	31.951
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	119.048
Toluene	PASS	< MRL	890	5.687
Trichloroethane	PASS	< MRL	1500	57.511
Xylenes, total	PASS	< MRL	2170	13.867

MRL = Minimum reporting limit/limit of quantification Test ID: #101078 | Date Tested: 03/27/2025 05:34 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: 1oz 600mg Water-Soluble Elixir (20250324-URBN-005) PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Fonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #101079 | Date Tested: 03/28/2025 09:58 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: 1oz 600mg Water-Soluble Elixir (20250324-URBN-005)				PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Ochratoxin	PASS	< MRL	0.02	0.010
Total Aflatoxins	PASS	< MRL	0.02	0.010
MRL = Minimum reporting limit/limit of quantification			Test ID: #101076 Date Tested: 03/28/2025 09:59 AM	

Heavy Metals: 1oz 600mg Water-Soluble Elixir (20250324-URBN-005)				PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)				
Analyte	Pass/Fail	Result (µg/mL)	Limit (µg/mL)	MRL (µg/mL)
Chromium	PASS	< MRL	1100.0	8.00
Nickel	PASS	< MRL	20.0	1.00
Copper	PASS	< MRL	300.0	8.00
Arsenic	PASS	< MRL	1.5	0.10
Cadmium	PASS	< MRL	0.5	0.10
Antimony	PASS	< MRL	120.0	1.00
Mercury	PASS	< MRL	3.0	0.05
Lead	PASS	< MRL	0.5	0.20
MRL = Minimum reporting limit/limit of quantification			Test ID: #101077 Date Tested: 03/26/2025 06:35 AM	

Microbiological Screen: 1oz 600mg Water-Soluble Elixir (20250324-URBN-005)				PASS
Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY)				
Analyte	Pass/Fail	Results (CFU/mL)	Limit (CFU/mL)	MRL (CFU/mL)
Total Aerobic Bacteria	PASS	100	10000	10
Total Yeast & Mold	PASS	10	1000	10
Salmonella spp	PASS	Absent	Absent	1
Shiga toxin-producing E. coli	PASS	Absent	Absent	1
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1
MRL = Minimum reporting limit/limit of quantification			Test ID: #101081 Date Tested: 03/30/2025 12:16 PM	



Matthew Elmes
Lab Director
4/1/2025

