



# Certificate of Analysis

## FOR COMPLIANCE


**Urbanxtracts**

License # : OCM-AUCP-22-000009

43 John Hicks Dr  
 Warwick, NY, 10990, US


**PASSED**

Pages 1 of 6

**SAFETY RESULTS**
  
 Pesticides  
**PASSED**
  
 Heavy Metals  
**PASSED**
  
 Microbials  
**PASSED**
  
 Mycotoxins  
**PASSED**
  
 Residuals  
 Solvents  
**PASSED**
  
 Filtration  
**NOT TESTED**
  
 Water Activity  
**NOT TESTED**
  
 Moisture  
**NOT TESTED**
**MISC.**  
  
 Terpenes  
**TESTED**

**Cannabinoid**
**PASSED**


**Total THC**  
**79.2525%**  
 Total THC/Container : 396.2625 mg



**Total CBD**  
**0.4220%**  
 Total CBD/Container : 2.1100 mg



**Total Cannabinoids**  
**83.5544%**  
 Total Cannabinoids/Container : 417.7720 mg

|         | (6AR,9R)<br>D10-THC | (6AR,9S)<br>D10-THC | CBC    | CBD    | CBDA    | CBDV    | CBG    | D8-THC  | CBGA    | CBN    | D9-THC  | THCA   | THCV   |
|---------|---------------------|---------------------|--------|--------|---------|---------|--------|---------|---------|--------|---------|--------|--------|
| %       | <0.1000             | <0.1000             | 0.7339 | 0.4220 | <0.1000 | <0.1000 | 1.6265 | <0.1000 | <0.1000 | 0.9298 | 79.0722 | 0.2057 | 0.5643 |
| mg/unit | <0.500              | <0.500              | 3.670  | 2.110  | <0.500  | <0.500  | 8.133  | <0.500  | <0.500  | 4.649  | 395.361 | 1.029  | 2.822  |
| LOQ     | 0.1000              | 0.1000              | 0.1000 | 0.1000 | 0.1000  | 0.1000  | 0.1000 | 0.1000  | 0.1000  | 0.1000 | 0.1000  | 0.1000 | 0.1000 |
| %       | %                   | %                   | %      | %      | %       | %       | %      | %       | %       | %      | %       | %      | %      |

 Weight:  
 0.1901g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
 Analyzed Date : 08/27/24 14:31:43

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
 Lab Director

NY Permit # OCM-CPL-2022-00006  
 ISO 17025 Accreditation # 97164

Signature  
 08/30/24



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

PAX White Widow Pod 0.5G  
White Widow  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

PASSED

Urbanxtracts

43 John Hicks Dr  
Warwick, NY, 10990, US  
Telephone: (212) 925-1070  
Email: drew@urbanxtracts.com  
License # : OCM-AUCP-22-000009

Sample : AL40823003-013

Batch# : PAX-0824-D-  
WW-0.5G

Sampled : 08/22/24 01:35 PM

Sample Size Received : 5 gram

Total Amount : 500 units

Sampling Method : SOP.T.20.010.NY

Page 2 of 6



## Terpenes

TESTED

| Terpenes            | LOQ (%) | mg/unit | %       | Result (%) | Terpenes                                           | LOQ (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|---------|------------|----------------------------------------------------|---------|---------|---|------------|
| LIMONENE            | 0.10    | 7.200   | 1.4400  |            | Weight:                                            |         |         |   |            |
| BETA-MYRCENE        | 0.10    | 4.450   | 0.8900  |            | 0.5102g                                            |         |         |   |            |
| LINALOOL            | 0.10    | 2.650   | 0.5300  |            | Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY |         |         |   |            |
| BETA-PINENE         | 0.10    | 2.100   | 0.4200  |            | Analyzed Date : 08/23/24 17:10:41                  |         |         |   |            |
| ALPHA-PINENE        | 0.10    | 1.800   | 0.3600  |            |                                                    |         |         |   |            |
| BETA-CARYOPHYLLENE  | 0.04    | 1.500   | 0.3000  |            |                                                    |         |         |   |            |
| CAMPHENE            | 0.10    | 0.600   | 0.1200  |            |                                                    |         |         |   |            |
| FENCHYL ALCOHOL     | 0.04    | 0.550   | 0.1100  |            |                                                    |         |         |   |            |
| ALPHA-HUMULENE      | 0.04    | 0.550   | 0.1100  |            |                                                    |         |         |   |            |
| ALPHA-BISABOLOL     | 0.04    | 0.500   | 0.1000  |            |                                                    |         |         |   |            |
| ALPHA TERPINEOL     | 0.04    | 0.450   | 0.0900  |            |                                                    |         |         |   |            |
| GUAIOL              | 0.04    | 0.450   | 0.0900  |            |                                                    |         |         |   |            |
| CARYOPHYLLENE OXIDE | 0.04    | 0.300   | 0.0600  |            |                                                    |         |         |   |            |
| TERPINOLENE         | 0.04    | 0.250   | 0.0500  |            |                                                    |         |         |   |            |
| FARNESENE           | 0.10    | <0.500  | <0.1000 |            |                                                    |         |         |   |            |
| GERANIOL            | 0.04    | <0.200  | <0.0400 |            |                                                    |         |         |   |            |
| OCIMENE             | 0.10    | <0.500  | <0.1000 |            |                                                    |         |         |   |            |
| VALENCENE           | 0.10    | <0.500  | <0.1000 |            |                                                    |         |         |   |            |
| ALPHA-PHELLANDRENE  | 0.10    | <0.500  | <0.1000 |            |                                                    |         |         |   |            |
| ALPHA-TERPINENE     | 0.10    | <0.500  | <0.1000 |            |                                                    |         |         |   |            |
| MENTHOL             | 0.10    | <0.500  | <0.1000 |            |                                                    |         |         |   |            |
| Total (%)           |         |         | 4.6700  |            |                                                    |         |         |   |            |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
08/30/24



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

PAX White Widow Pod 0.5G

White Widow

Matrix : Derivative

Type: Vape Cartridge



# Certificate of Analysis

PASSED

Urbanxtracts

43 John Hicks Dr  
Warwick, NY, 10990, US  
Telephone: (212) 925-1070  
Email: drew@urbanxtracts.com  
License # : OCM-AUCP-22-000009

Sample : AL40823003-013

Batch# : PAX-0824-D-  
WW-0.5G

Sampled : 08/22/24 01:35 PM

Sample Size Received : 5 gram

Total Amount : 500 units

Sampling Method : SOP.T.20.010.NY

Page 3 of 6



## Pesticides

PASSED

| Pesticide             | LOQ    | Units | Action Level | Pass/Fail | Result  | Pesticide                                                             | LOQ    | Units | Action Level | Pass/Fail | Result  |
|-----------------------|--------|-------|--------------|-----------|---------|-----------------------------------------------------------------------|--------|-------|--------------|-----------|---------|
| PYRETHRINS, TOTAL     | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PACLOBUTRAZOL                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| AZADIRACTIN           | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PERMETHRIN                                                            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| INDOLE-3-BUTYRIC ACID | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PHOSMET                                                               | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| MYCLOBUTANIL          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PRALLETHRIN                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| PIPERONYL BUTOXIDE    | 0.1000 | ppm   | 2            | PASS      | <0.1000 | PROPOCONAZOLE                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| ABAMECTIN B1A         | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 | PROPOXUR                                                              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ACEPHATE              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | PYRIDABEN                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ACEQUINOCYL           | 0.1000 | ppm   | 2            | PASS      | <0.1000 | SPINETORAM, TOTAL                                                     | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| ACETAMIPRID           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPINOSAD, TOTAL                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ALDICARB              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPIROMESIFEN                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZOXYSTROBIN          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPIROTETRAMAT                                                         | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORMEQUAT CHLORIDE  | 0.1000 | ppm   | 1            | PASS      | <0.1000 | SPIROXAMINE                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| BIFENAZATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | TEBUCONAZOLE                                                          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| BIFENTHRIN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIACLOPRID                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CARBARYL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIAMETHOXAM                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| COUMAPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 | TRIFLOXYSTROBIN                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORPYRIFOS          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CAPTAN *                                                              | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DAMINOZIDE            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CHLORDANE *                                                           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| BOSCALID              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | CHLORFENAPYR *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CARBOFURAN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CYFLUTHRIN *                                                          | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CHLORANTRANILIPROLE   | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CYPERMETHRIN *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CLOFENTZINE           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | METHYL PARATHION *                                                    | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| DIAZINON              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | MGK-264 *                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| DICHLORVOS            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PENTACHLORONITROBENZENE *                                             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DIMETHOATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| DIMETHOMORPH          | 0.1000 | ppm   | 1            | PASS      | <0.1000 | 0.4729g                                                               |        |       |              |           |         |
| ETHOPROPHOS           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY |        |       |              |           |         |
| ETOFENPROX            | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analyzed Date : 08/28/24 13:13:06                                     |        |       |              |           |         |
| ETOXAZOLE             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| FENHEXAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | 0.4729g                                                               |        |       |              |           |         |
| FENOXICARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Analysis Method : SOP.T.40.154.NY                                     |        |       |              |           |         |
| FENPYROXIMATE         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analyzed Date : 08/28/24 13:13:53                                     |        |       |              |           |         |
| FIPRONIL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FLONICAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FLUDIOXONIL           | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| HEXYTHIAZOX           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMAZALIL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMIDACLOPRID          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| KRESOXIM METHYL       | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MALATHION             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METALAXYL             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHIOCARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHOMYL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MEVINPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| NALED                 | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| OXAMYL                | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

*Erica*

Signature  
08/30/24



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

## Kaycha Labs

PAX White Widow Pod 0.5G  
White Widow  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

**PASSED**

### Urbanxtracts

43 John Hicks Dr  
Warwick, NY, 10990, US  
Telephone: (212) 925-1070  
Email: drew@urbanxtracts.com  
License #: OCM-AUCP-22-000009

### Sample : AL40823003-013

Batch# : PAX-0824-D-  
WW-0.5G  
Sampled : 08/22/24 01:35 PM

Sample Size Received : 5 gram  
Total Amount : 500 units  
Sampling Method : SOP.T.20.010.NY

Page 4 of 6



## Residual Solvents

**PASSED**

| Solvents              | LOQ   | Units | Action Level | Pass/Fail | Result |
|-----------------------|-------|-------|--------------|-----------|--------|
| DIMETHYL SULFOXIDE    | 375.0 | ppm   | 5000         | PASS      | <375.0 |
| 1,1,1-TRICHLOROETHANE | 375.0 | ppm   | 1500         | PASS      | <375.0 |
| HEXANE, TOTAL         | 125.0 | ppm   | 290          | PASS      | <125.0 |
| PENTANES, TOTAL       | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| BUTANES, TOTAL        | 750.0 | ppm   | 5000         | PASS      | <750.0 |
| XYLENES, TOTAL        | 125.0 | ppm   | 2170         | PASS      | <125.0 |
| 1,2-DICHLOROETHANE    | 1.3   | ppm   | 5            | PASS      | <1.3   |
| PROPANE               | 750.0 | ppm   | 5000         | PASS      | <750.0 |
| METHANOL              | 125.0 | ppm   | 3000         | PASS      | <125.0 |
| ETHANOL               | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ETHYL ETHER           | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ACETONE               | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| 2-PROPANOL            | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ACETONITRILE          | 125.0 | ppm   | 410          | PASS      | <125.0 |
| DICHLOROMETHANE       | 125.0 | ppm   | 600          | PASS      | <125.0 |
| ETHYL ACETATE         | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| BENZENE               | 1.3   | ppm   | 2            | PASS      | <1.3   |
| N-HEPTANE             | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| TOLUENE               | 125.0 | ppm   | 890          | PASS      | <125.0 |
| CHLOROFORM            | 1.3   | ppm   | 60           | PASS      | <1.3   |

Weight:  
0.0215g

Analysis Method : SOP.T.40.044.NY  
Analyzed Date : 08/26/24 14:34:14

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. Currently we analyze for 33 Residual solvents. (Method: SOP.T.30.042 Residual Solvents Analysis via GC-MS).

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
08/30/24



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

PAX White Widow Pod 0.5G

White Widow

Matrix : Derivative

Type: Vape Cartridge



# Certificate of Analysis

**PASSED**

Urbantracts

43 John Hicks Dr  
Warwick, NY, 10990, US  
Telephone: (212) 925-1070  
Email: drew@urbantracts.com

License # : OCM-AUCP-22-000009

Sample : AL40823003-013

Batch# : PAX-0824-D-  
WW-0.5G

Sampled : 08/22/24 01:35 PM

Sample Size Received : 5 gram

Total Amount : 500 units

Sampling Method : SOP.T.20.010.NY

Page 5 of 6

| Microbial PASSED                                                      |     |       |             |             |              | Mycotoxins PASSED                                  |        |       |         |             |              |
|-----------------------------------------------------------------------|-----|-------|-------------|-------------|--------------|----------------------------------------------------|--------|-------|---------|-------------|--------------|
| Analyte                                                               | LOQ | Units | Result      | Pass / Fail | Action Level | Analyte                                            | LOQ    | Units | Result  | Pass / Fail | Action Level |
| TOTAL AEROBIC BACTERIA                                                | 100 | CFU/g | <100        | PASS        | 10000        | AFLATOXIN G2                                       | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| TOTAL YEAST AND MOLD                                                  | 100 | CFU/g | <100        | PASS        | 1000         | AFLATOXIN G1                                       | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| ESCHERICHIA COLI SHIGELLA SPP                                         | 1   |       | Not Present | PASS        |              | AFLATOXIN B2                                       | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| SALMONELLA SPECIES                                                    | 1   |       | Not Present | PASS        |              | AFLATOXIN B1                                       | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| ASPERGILLUS TERREUS                                                   | 1   |       | Not Present | PASS        |              | OCHRATOXIN A+                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS NIGER                                                     | 1   |       | Not Present | PASS        |              | TOTAL AFLATOXINS (B1, B2, G1, G2)                  | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| ASPERGILLUS FLAVUS                                                    | 1   |       | Not Present | PASS        |              |                                                    |        |       |         |             |              |
| ASPERGILLUS FUMIGATUS                                                 | 1   |       | Not Present | PASS        |              |                                                    |        |       |         |             |              |
| Weight:<br>1.1g                                                       |     |       |             |             |              | Weight:<br>0.4729g                                 |        |       |         |             |              |
| Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY |     |       |             |             |              | Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY |        |       |         |             |              |
| Analyzed Date : 08/23/24 13:53:24                                     |     |       |             |             |              | Analyzed Date : 08/28/24 13:13:34                  |        |       |         |             |              |

| Heavy Metals PASSED                                |        |       |         |             |              |
|----------------------------------------------------|--------|-------|---------|-------------|--------------|
| Metal                                              | LOQ    | Units | Result  | Pass / Fail | Action Level |
| ANTIMONY                                           | 0.1000 | ug/g  | <0.1000 | PASS        | 2            |
| ARSENIC                                            | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CADMIUM                                            | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CHROMIUM                                           | 1.0000 | ug/g  | <1.0000 | PASS        | 110          |
| COPPER                                             | 1.0000 | ug/g  | <1.0000 | PASS        | 30           |
| LEAD                                               | 0.1000 | ug/g  | <0.1000 | PASS        | 0.5          |
| MERCURY                                            | 0.0100 | ug/g  | <0.0100 | PASS        | 0.1          |
| NICKEL                                             | 0.1000 | ug/g  | 0.1527  | PASS        | 2            |
| Weight:<br>0.4256g                                 |        |       |         |             |              |
| Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY |        |       |         |             |              |
| Analyzed Date : 08/23/24 18:15:12                  |        |       |         |             |              |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
08/30/24



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

PAX White Widow Pod 0.5G  
White Widow  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

PASSED

## Urbanxtracts

43 John Hicks Dr  
Warwick, NY, 10990, US  
Telephone: (212) 925-1070  
Email: drew@urbanxtracts.com  
License # : OCM-AUCP-22-000009

## Sample : AL40823003-013

Batch# : PAX-0824-D-  
WW-0.5G  
Sampled : 08/22/24 01:35 PM

Sample Size Received : 5 gram  
Total Amount : 500 units  
Sampling Method : SOP.T.20.010.NY

Page 6 of 6

## Homogeneity

PASSED

| Analyte                           | LOQ  | Units | Pass/Fail | Result | Action Level |
|-----------------------------------|------|-------|-----------|--------|--------------|
| HOM1 TOTAL THC PERCENT DIFFERENCE | 0.01 | %     | PASS      | 2.74   | 25           |
| HOM1 TOTAL CBD PERCENT DIFFERENCE | 0.01 | %     | PASS      | ND     | 25           |
| HOM2 TOTAL THC PERCENT DIFFERENCE | 0.01 | %     | PASS      | 3.43   | 25           |
| HOM2 TOTAL CBD PERCENT DIFFERENCE | 0.01 | %     | PASS      | ND     | 25           |
| HOM3 TOTAL THC PERCENT DIFFERENCE | 0.01 | %     | PASS      | 3.07   | 25           |
| HOM3 TOTAL CBD PERCENT DIFFERENCE | 0.01 | %     | PASS      | ND     | 25           |
| HOM4 TOTAL THC PERCENT DIFFERENCE | 0.01 | %     | PASS      | 4.26   | 25           |
| HOM4 TOTAL CBD PERCENT DIFFERENCE | 0.01 | %     | PASS      | ND     | 25           |
| HOM5 TOTAL THC PERCENT DIFFERENCE | 0.01 | %     | PASS      | 8.05   | 25           |
| HOM5 TOTAL CBD PERCENT DIFFERENCE | 0.01 | %     | PASS      | ND     | 25           |

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
Analyzed Date : 08/27/24 14:31:43

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
08/30/24