

Analytical Test Report

Client: UrbanXtracts/Fernway OCM-AUCC-22-000009	Final Report	MCR-S24-00678 <u>Rev.02.00</u>	Laboratory: MCR Labs Julian England 315-541-4202 800 Broad Street Utica, NY 13501
	Report Date	<u>7/6/2024</u>	
	Lab Permit	OCM-CPL-2022-00008	
	Sample Collection Site	Warwick, NY	
	Sample Collection Date and Time	06/28/2024 09:30	

Sample ID #	Sample Name	Matrix	Sample Type	Date Received
S24-00678	FNY-BH-0724-1G-002	Concentrate	Adult Use	06/28/2024

Lot #	Lot Size (units)	Number of Units Recieved
<u>FNY-BH-0724-1G-002</u>	3000	3

The test results presented in this report are accurate, complete, and compliant with the MCR Labs quality control criteria.

Authorization



Julian England
Lead Technical Director

Case Narrative

These results apply only to the items tested, as received, by MCR Labs New York. *This sample is a daughter lot (FNY-BH-0724-1G-002) related to the mother lot (FNY-BH-0724-T3-003) performed under the Bulk Oil Sampling Standards. Report revisions are italicized and underlined.*

This report and all information herein shall not be reproduced, except in its entirety, without the expressed consent of MCR Labs. Results apply only to the sample supplied to MCR Labs.

Requested Testing

Test	Code	Procedure	Analytes Tested	Disposition
<u>Cannabinoid Profile</u>	<u>CN</u>	<u>TM-NY-7</u>	<u>CBC, CBD, CBDA, CBDV, CBG, CBGA, CBN, Δ8-THC, Δ9-THC, (6aR,9S)-10-THC, (6aS,9S)-10-THC, THCV, THCVA</u>	<u>N/A</u>
Heavy Metals Screen	HM	TM-NY-5	Arsenic (As), Cadmium (Cd), Mercury (Hg), Lead (Pb), Chromium (Cr), Copper (Cu), Nickel (Ni), Antimony (Sb)	Pass
<u>Mycotoxins Screen</u>	<u>MY</u>	<u>TM-NY-6</u>	<u>Aflatoxin B1, Aflatoxin B2, Aflatoxin G1, Aflatoxin G2, Total Aflatoxins, Ochratoxin A</u>	Pass
<u>Microbiological Screen</u>	<u>MB</u>	<u>TM-NY-3</u> <u>TM-NY-8</u>	<u>Total Viable Aerobic Bacteria, Total Yeast and Mold, STEC, Salmonella, Aspergillus</u>	Pass
<u>Residuals Solvents Screen</u>	<u>RS</u>	<u>TM-NY-4</u>	<u>Residual solvents as required by OCM</u>	Pass
<u>Terpene Profile</u>	<u>TP</u>	<u>TM-NY-12</u>	<u>α-Pinene, Camphene, β-Myrcene, β-Pinene, Δ-3-Carene, α-Terpinene, cis-β-Ocimene, D-Limonene, p-Cymene, trans-β-Ocimene, Eucalyptol, γ-Terpinene, Terpinolene, Linalool, Isopulegol, Geraniol, β-Caryophyllene, α-Humulene, cis-Nerolidol, trans-Nerolidol, Guaiol, Caryophyllene Oxide, α-Bisabolol, α-Terpineol, Fenchol, Valencene, α-Phellandrene, trans-β-Farnesene</u>	Pass
<u>Pesticides Screen</u>	<u>PS</u>	<u>TM-NY-6</u>	<u>Pesticides as required by OCM</u>	Pass

Cannabinoid Profile [TM-NY-7]

Analyst: BS

Test Date: 7/3/2024 16:30

Table 1 - S24-00678 FNY-BH-0724-1G-002 Concentrate Cannabinoid Testing

Analyte	Cannabinoid	Conc. (weight %)	Conc. (mg/g)	LOD (weight %)	LOQ (weight %)
CBC	Cannabichromene	1.01%	10.1	0.0512%	0.2509%
CBD	Cannabidiol	0.936%	9.36	0.0492%	0.2509%
CBDA	Cannabidiolic Acid	<LOQ	<LOQ	0.0660%	0.2509%
CBDV	Cannabidivarin	ND	ND	0.0695%	0.2509%
CBG	Cannabigerol	1.88%	18.8	0.1059%	0.2509%
CBGA	Cannabigerolic Acid	ND	ND	0.0514%	0.2509%
CBN	Cannabinol	0.719%	7.19	0.0489%	0.2509%
Δ8-THC	Δ8-Tetrahydrocannabinol	ND	ND	0.1644%	0.2509%
Δ9-THC	Δ9-Tetrahydrocannabinol	86.6%	866	0.0896%	0.2509%
Δ10R-THC	Δ10R-Tetrahydrocannabinol	ND	ND	0.0472%	0.2509%
Δ10S-THC	Δ10S-Tetrahydrocannabinol	ND	ND	0.0668%	0.2509%
THCV	Tetrahydrocannabivarin	0.658%	6.58	0.0763%	0.2509%
THCA	Tetryhydrocannabinolic Acid	ND	ND	0.0519%	0.2509%

Total Active Cannabinoids (sum of above table)	91.8%	918	N/A	N/A
Total THC = THC + (THCA * 0.877)	86.6%	866	N/A	N/A
Total CBD = CBD + (CBDA * 0.877)	0.936%	9.36	N/A	N/A

Note: There are no limits established by the New York Office of Cannabis Management for cannabinoid concentrations.
ND = Not Detected; LOQ = Limit of Quantitation; LOD = Limit of Detection.
Δ10R-THC = (6aR,9S)-10-THC; Δ10S-THC = (6aS,9S)-10-THC

Heavy Metals Screen [TM-NY-5]

Analyst: BS

Test Date: 7/2/2024 18:40

Table 2 - S24-00678 FNY-BH-0724-1G-002 Concentrate Heavy Metals Testing

Test Analysis	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Limits (µg/g)	Disposition
Arsenic	ND	0.007	0.04	0.2	Pass
Cadmium	ND	0.017	0.05	0.3	Pass
Mercury	ND	0.020	0.04	0.1	Pass
Lead	ND	0.007	0.09	0.5	Pass
Chromium	ND	0.645	20.00	110	Pass
Copper	ND	0.208	5.45	30	Pass
Nickel	ND	0.163	0.36	2	Pass
Antimony	ND	0.019	0.36	2	Pass

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.
ND = Not Detected; LOD = Limit of Detection; LOQ = Limit of Quantitation.

Mycotoxins Screen [TM-NY-6]

Analyst: NM

Test Date: 7/1/2024 9:00 AM

Table 3 - S24-00678 FNY-BH-0724-1G-002 Concentrate Mycotoxins Testing

<u>Analyte</u>	<u>Result</u> <u>(µg/g)</u>	<u>LOD</u> <u>(µg/g)</u>	<u>LOQ</u> <u>(µg/g)</u>	<u>Limits</u> <u>(µg/g)</u>	<u>Disposition</u>
<u>Aflatoxin B1</u>	<u>ND</u>	<u>0.0025</u>	<u>0.005</u>	<u>N/A</u>	<u>N/A</u>
<u>Aflatoxin B2</u>	<u>ND</u>	<u>0.0010</u>	<u>0.005</u>	<u>N/A</u>	<u>N/A</u>
<u>Aflatoxin G1</u>	<u>ND</u>	<u>0.0015</u>	<u>0.005</u>	<u>N/A</u>	<u>N/A</u>
<u>Aflatoxin G2</u>	<u>ND</u>	<u>0.0042</u>	<u>0.005</u>	<u>N/A</u>	<u>N/A</u>
<u>Total Aflatoxins</u>	<u>ND</u>	<u>N/A</u>	<u>N/A</u>	<u>0.02</u>	<u>Pass</u>
<u>Ochratoxin A</u>	<u>ND</u>	<u>0.0030</u>	<u>0.010</u>	<u>0.02</u>	<u>Pass</u>

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.
ND = Not Detected; LOD = Limit of Detection; LOQ = Limit of Quantitation.

Microbiological Screen [TM-NY-3]

Analyst: JE

Test Date: 6/29/2024 15:37

Table 4 - S24-00678 FNY-BH-0724-1G-002 Concentrate Microbiological Testing

<u>Test Analysis</u>	<u>Result</u>	<u>Unit</u>	<u>LOQ</u>	<u>Limits</u>	<u>Disposition</u>
<u>Total Viable Aerobic Bacteria</u>	<u><100</u>	<u>CFU/g</u>	<u>100 CFU/g</u>	<u>10000</u>	<u>Pass</u>
<u>Total Yeast and Mold</u>	<u><100</u>	<u>CFU/g</u>	<u>100 CFU/g</u>	<u>1000</u>	<u>Pass</u>

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.
CFU = Colony Forming Unit; LOQ = Limit of Quantitation.

Microbiological Screen [TM-NY-8]

Analyst: JE

Test Date: 6/29/2024 15:37

Table 5 - S24-00678 FNY-BH-0724-1G-002 Concentrate Microbiological Testing

<u>Test Analysis</u>	<u>Result</u>	<u>Unit</u>	<u>LOQ</u>	<u>Limits</u>	<u>Disposition</u>
<u>STEC</u>	<u>Negative</u>	<u>N/A</u>	<u>1 CFU/g</u>	<u>Not detected in 1g</u>	<u>Pass</u>
<u>Salmonella</u>	<u>Negative</u>	<u>N/A</u>	<u>1 CFU/g</u>	<u>Not detected in 1g</u>	<u>Pass</u>
<u>Aspergillus</u>	<u>Negative</u>	<u>N/A</u>	<u>1 CFU/g</u>	<u>Not detected in 1g</u>	<u>Pass</u>

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.
STEC = Shiga Toxin producing E. coli; CFU = Colony Forming Unit; LOQ = Limit of Quantitation.

Residual Solvents Screen [TM-NY-4]

Analyst: JE/NM

Test Date: 7/2/2024 18:49

Table 6 - S24-00678 FNY-BH-0724-1G-002 Concentrate Residual Solvents Testing

<u>Analyte</u>	<u>Result</u> <u>(ppm)</u>	<u>LOD</u> <u>(ppm)</u>	<u>LOQ</u> <u>(ppm)</u>	<u>Limits</u> <u>(ppm)</u>	<u>Disposition</u>
<u>Acetone</u>	<u>ND</u>	<u>236.8</u>	<u>2000.0</u>	<u>5000</u>	<u>Pass</u>
<u>Acetonitrile</u>	<u>ND</u>	<u>23.4</u>	<u>164.0</u>	<u>410</u>	<u>Pass</u>
<u>Benzene</u>	<u>ND</u>	<u>0.3</u>	<u>0.8</u>	<u>2</u>	<u>Pass</u>
<u>Chloroform</u>	<u>ND</u>	<u>2.6</u>	<u>24.0</u>	<u>60</u>	<u>Pass</u>
<u>1,2-Dichloroethane</u>	<u>ND</u>	<u>0.3</u>	<u>2.0</u>	<u>5</u>	<u>Pass</u>
<u>Diethyl ether</u>	<u>ND</u>	<u>216.8</u>	<u>2000.0</u>	<u>5000</u>	<u>Pass</u>
<u>Dimethyl sulfoxide</u>	<u>ND</u>	<u>166.4</u>	<u>2000.0</u>	<u>5000</u>	<u>Pass</u>
<u>Ethanol</u>	<u>ND</u>	<u>244.0</u>	<u>2000.0</u>	<u>5000</u>	<u>Pass</u>
<u>Ethyl acetate</u>	<u>ND</u>	<u>202.4</u>	<u>2000.0</u>	<u>5000</u>	<u>Pass</u>
<u>Heptane</u>	<u>ND</u>	<u>187.6</u>	<u>2000.0</u>	<u>5000</u>	<u>Pass</u>
<u>Isopropyl Alcohol</u>	<u>ND</u>	<u>212.4</u>	<u>2000.0</u>	<u>5000</u>	<u>Pass</u>
<u>Methanol</u>	<u>ND</u>	<u>174.4</u>	<u>1200.0</u>	<u>3000</u>	<u>Pass</u>
<u>Methylene Chloride</u>	<u>ND</u>	<u>25.9</u>	<u>240.0</u>	<u>600</u>	<u>Pass</u>
<u>Propane</u>	<u>ND</u>	<u>88.4</u>	<u>1000.0</u>	<u>5000</u>	<u>Pass</u>
<u>Toluene</u>	<u>ND</u>	<u>32.7</u>	<u>356.0</u>	<u>890</u>	<u>Pass</u>
<u>1,1,1-Trichloroethane</u>	<u>ND</u>	<u>59.2</u>	<u>600.0</u>	<u>1500</u>	<u>Pass</u>
<u>Total Butanes</u>	<u>ND</u>	<u>108.8</u>	<u>1000.0</u>	<u>5000</u>	<u>Pass</u>
<u>Total Hexanes</u>	<u>ND</u>	<u>10.0</u>	<u>116.0</u>	<u>290</u>	<u>Pass</u>
<u>Total Pentanes</u>	<u>ND</u>	<u>124.4</u>	<u>1000.0</u>	<u>5000</u>	<u>Pass</u>
<u>Total Xylenes</u>	<u>ND</u>	<u>86.4</u>	<u>868.0</u>	<u>2170</u>	<u>Pass</u>

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.
ND = Not Detected; LOD = Limit of Detection; LOQ = Limit of Quantitation; ppm = Parts Per Million.

Terpene Profile [TM-NY-12]

Analyst: NM

Test Date: 6/30/2024 10:30

Table 7 - S24-00678 FNY-BH-0724-1G-002 Concentrate Terpene Testing

Analyte	Result (weight %)	Result (ppm)	LOD (weight %)	LOD (ppm)	LOQ (weight %)	LOQ (ppm)
<u>α-Pinene</u>	<u>0.1294</u>	<u>1294</u>	<u>0.0129</u>	<u>129</u>	<u>0.0625</u>	<u>625</u>
<u>Camphene</u>	<u><LOQ</u>	<u><LOQ</u>	<u>0.0111</u>	<u>111</u>	<u>0.0625</u>	<u>625</u>
<u>β-Myrcene</u>	<u>0.8456</u>	<u>8456</u>	<u>0.0105</u>	<u>105</u>	<u>0.0625</u>	<u>625</u>
<u>β-Pinene</u>	<u>0.2114</u>	<u>2114</u>	<u>0.0101</u>	<u>101</u>	<u>0.0625</u>	<u>625</u>
<u>Δ-3-Carene</u>	<u>ND</u>	<u>ND</u>	<u>0.0104</u>	<u>104</u>	<u>0.0625</u>	<u>625</u>
<u>α-Terpinene</u>	<u>ND</u>	<u>ND</u>	<u>0.0109</u>	<u>109</u>	<u>0.0625</u>	<u>625</u>
<u>cis-β-Ocimene</u>	<u>0.0241</u>	<u>241</u>	<u>0.0028</u>	<u>28</u>	<u>0.0156</u>	<u>156</u>
<u>D-Limonene</u>	<u>0.6737</u>	<u>6737</u>	<u>0.0110</u>	<u>110</u>	<u>0.0625</u>	<u>625</u>
<u>p-Cymene</u>	<u>ND</u>	<u>ND</u>	<u>0.0124</u>	<u>124</u>	<u>0.0625</u>	<u>625</u>
<u>trans-β-Ocimene</u>	<u>ND</u>	<u>ND</u>	<u>0.0094</u>	<u>94</u>	<u>0.0469</u>	<u>469</u>
<u>Eucalyptol</u>	<u>ND</u>	<u>ND</u>	<u>0.0109</u>	<u>109</u>	<u>0.0625</u>	<u>625</u>
<u>γ-Terpinene</u>	<u>ND</u>	<u>ND</u>	<u>0.0108</u>	<u>108</u>	<u>0.0625</u>	<u>625</u>
<u>Terpinolene</u>	<u>0.7474</u>	<u>7474</u>	<u>0.0108</u>	<u>108</u>	<u>0.0625</u>	<u>625</u>
<u>Linalool</u>	<u>0.2388</u>	<u>2388</u>	<u>0.0109</u>	<u>109</u>	<u>0.0625</u>	<u>625</u>
<u>Isopulegol</u>	<u>ND</u>	<u>ND</u>	<u>0.0127</u>	<u>127</u>	<u>0.0625</u>	<u>625</u>
<u>Geraniol</u>	<u><LOQ</u>	<u><LOQ</u>	<u>0.0138</u>	<u>138</u>	<u>0.0625</u>	<u>625</u>
<u>β-Caryophyllene</u>	<u>1.1721</u>	<u>11721</u>	<u>0.0131</u>	<u>131</u>	<u>0.0625</u>	<u>625</u>
<u>α-Humulene</u>	<u>0.4132</u>	<u>4132</u>	<u>0.0120</u>	<u>120</u>	<u>0.0625</u>	<u>625</u>
<u>cis-Nerolidol</u>	<u><LOQ</u>	<u><LOQ</u>	<u>0.0060</u>	<u>60</u>	<u>0.0269</u>	<u>269</u>
<u>trans-Nerolidol</u>	<u>0.1236</u>	<u>1236</u>	<u>0.0161</u>	<u>161</u>	<u>0.0625</u>	<u>625</u>
<u>Guaiol</u>	<u>0.1390</u>	<u>1390</u>	<u>0.0106</u>	<u>106</u>	<u>0.0625</u>	<u>625</u>
<u>Caryophyllene Oxide</u>	<u>0.1013</u>	<u>1013</u>	<u>0.0137</u>	<u>137</u>	<u>0.0625</u>	<u>625</u>
<u>α-Bisabolol</u>	<u>0.1855</u>	<u>1855</u>	<u>0.0128</u>	<u>128</u>	<u>0.0625</u>	<u>625</u>
<u>α-Terpineol</u>	<u>0.0932</u>	<u>932</u>	<u>0.0065</u>	<u>65</u>	<u>0.0625</u>	<u>625</u>
<u>Fenchol</u>	<u><LOQ</u>	<u><LOQ</u>	<u>0.0030</u>	<u>30</u>	<u>0.0625</u>	<u>625</u>
<u>Valencene</u>	<u>0.1053</u>	<u>1053</u>	<u>0.0104</u>	<u>104</u>	<u>0.0625</u>	<u>625</u>
<u>α-Phellandrene</u>	<u>0.0762</u>	<u>762</u>	<u>0.0228</u>	<u>228</u>	<u>0.0625</u>	<u>625</u>
<u>trans-β-Farnesene</u>	<u>ND</u>	<u>ND</u>	<u>0.0307</u>	<u>307</u>	<u>0.0625</u>	<u>625</u>

	Result (weight %)	Limit (weight %)	Disposition
<u>Total Terpenes</u>	<u>5.2798</u>	<u>10.0000</u>	<u>Pass</u>

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.
ND = Not Detected; LOD = Limit of Detection; LOQ = Limit of Quantitation.

Pesticides Screen [TM-NY-6]

Analyst: NM

Test Date: 7/1/2024 9:00 AM

Table 8 - S24-00678 FNY-BH-0724-1G-002 Concentrate Pesticides Testing

Analyte	Result (ppm)	LOD (ppm)	LOQ (ppm)	Limits (ppm)	Disposition
<u>Abamectin</u>	<u>ND</u>	<u>0.023</u>	<u>0.200</u>	<u>0.5</u>	<u>Pass</u>
<u>Acephate</u>	<u>ND</u>	<u>0.042</u>	<u>0.200</u>	<u>0.4</u>	<u>Pass</u>
<u>Acequinocyl</u>	<u>ND</u>	<u>0.034</u>	<u>0.200</u>	<u>2.0</u>	<u>Pass</u>
<u>Acetamiprid</u>	<u>ND</u>	<u>0.036</u>	<u>0.160</u>	<u>0.2</u>	<u>Pass</u>
<u>Aldicarb</u>	<u>ND</u>	<u>0.022</u>	<u>0.200</u>	<u>0.4</u>	<u>Pass</u>
<u>Azadirachtin</u>	<u>ND</u>	<u>0.055</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Azoxystrobin</u>	<u>ND</u>	<u>0.109</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Bifenazate</u>	<u>ND</u>	<u>0.008</u>	<u>0.160</u>	<u>0.2</u>	<u>Pass</u>
<u>Bifenthrin</u>	<u>ND</u>	<u>0.041</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Boscalid</u>	<u>ND</u>	<u>0.032</u>	<u>0.200</u>	<u>0.4</u>	<u>Pass</u>
<u>Captan</u>	<u>ND</u>	<u>0.037</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Carbaryl</u>	<u>ND</u>	<u>0.063</u>	<u>0.160</u>	<u>0.2</u>	<u>Pass</u>
<u>Carbofuran</u>	<u>ND</u>	<u>0.033</u>	<u>0.160</u>	<u>0.2</u>	<u>Pass</u>
<u>Chlorantraniliprole</u>	<u>ND</u>	<u>0.008</u>	<u>0.190</u>	<u>0.2</u>	<u>Pass</u>
<u>Chlordane</u>	<u>ND</u>	<u>0.083</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Chlorfenapyr</u>	<u>ND</u>	<u>0.134</u>	<u>0.500</u>	<u>1.0</u>	<u>Pass</u>
<u>Chlormequat chloride</u>	<u>ND</u>	<u>0.068</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Chlorpyrifos</u>	<u>ND</u>	<u>0.005</u>	<u>0.160</u>	<u>0.2</u>	<u>Pass</u>
<u>Clofentezine</u>	<u>ND</u>	<u>0.016</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Coumaphos</u>	<u>ND</u>	<u>0.019</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Cyfluthrin</u>	<u>ND</u>	<u>0.132</u>	<u>0.500</u>	<u>1.0</u>	<u>Pass</u>
<u>Cypermethrin</u>	<u>ND</u>	<u>0.254</u>	<u>0.500</u>	<u>1.0</u>	<u>Pass</u>
<u>Daminozide</u>	<u>ND</u>	<u>0.049</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Diazinon</u>	<u>ND</u>	<u>0.022</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Dichlorvos</u>	<u>ND</u>	<u>0.032</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Dimethoate</u>	<u>ND</u>	<u>0.108</u>	<u>0.160</u>	<u>0.2</u>	<u>Pass</u>
<u>Dimethomorph</u>	<u>ND</u>	<u>0.007</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Ethoprop(hos)</u>	<u>ND</u>	<u>0.014</u>	<u>0.160</u>	<u>0.2</u>	<u>Pass</u>
<u>Etofenprox</u>	<u>ND</u>	<u>0.020</u>	<u>0.200</u>	<u>0.4</u>	<u>Pass</u>
<u>Etoxazole</u>	<u>ND</u>	<u>0.011</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Fenhexamid</u>	<u>ND</u>	<u>0.022</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Fenoxycarb</u>	<u>ND</u>	<u>0.032</u>	<u>0.160</u>	<u>0.2</u>	<u>Pass</u>
<u>Fenpyroximate</u>	<u>ND</u>	<u>0.019</u>	<u>0.200</u>	<u>0.4</u>	<u>Pass</u>
<u>Fipronil</u>	<u>ND</u>	<u>0.045</u>	<u>0.200</u>	<u>0.4</u>	<u>Pass</u>
<u>Flonicamid</u>	<u>ND</u>	<u>0.058</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.
ND = Not Detected; LOD = Limit of Detection; LOQ = Limit of Quantitation; ppm = Parts Per Million.

Pesticides Screen [TM-NY-6]

Analyst: NM

Test Date: 7/1/2024 9:00 AM

Table 9 - S24-00678 FNY-BH-0724-1G-002 Concentrate Pesticides Testing

Analyte	Result (ppm)	LOD (ppm)	LOQ (ppm)	Limits (ppm)	Disposition
<u>Fludioxonil</u>	<u>ND</u>	<u>0.113</u>	<u>0.200</u>	<u>0.4</u>	<u>Pass</u>
<u>Hexythiazox</u>	<u>ND</u>	<u>0.042</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Imazalil</u>	<u>ND</u>	<u>0.011</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Imidacloprid</u>	<u>ND</u>	<u>0.020</u>	<u>0.200</u>	<u>0.4</u>	<u>Pass</u>
<u>Indole-3-butyric Acid</u>	<u>ND</u>	<u>0.015</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Kresoxim-methyl</u>	<u>ND</u>	<u>0.038</u>	<u>0.200</u>	<u>0.4</u>	<u>Pass</u>
<u>Malathion</u>	<u>ND</u>	<u>0.027</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Metalaxyl</u>	<u>ND</u>	<u>0.006</u>	<u>0.190</u>	<u>0.2</u>	<u>Pass</u>
<u>Methiocarb</u>	<u>ND</u>	<u>0.035</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Methomyl</u>	<u>ND</u>	<u>0.056</u>	<u>0.200</u>	<u>0.4</u>	<u>Pass</u>
<u>Methyl parathion</u>	<u>ND</u>	<u>0.046</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Mevinphos</u>	<u>ND</u>	<u>0.048</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>MGK-264</u>	<u>ND</u>	<u>0.014</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Myclobutanil</u>	<u>ND</u>	<u>0.031</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Naled</u>	<u>ND</u>	<u>0.016</u>	<u>0.200</u>	<u>0.5</u>	<u>Pass</u>
<u>Oxamyl</u>	<u>ND</u>	<u>0.046</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Paclobutrazol</u>	<u>ND</u>	<u>0.033</u>	<u>0.200</u>	<u>0.4</u>	<u>Pass</u>
<u>Pentachloronitrobenzene</u>	<u>ND</u>	<u>0.037</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Permethrins, Total</u>	<u>ND</u>	<u>0.038</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Phosmet</u>	<u>ND</u>	<u>0.020</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Piperonyl butoxide</u>	<u>ND</u>	<u>0.010</u>	<u>0.200</u>	<u>2.0</u>	<u>Pass</u>
<u>Prallethrin</u>	<u>ND</u>	<u>0.017</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Propiconazole</u>	<u>ND</u>	<u>0.011</u>	<u>0.200</u>	<u>0.4</u>	<u>Pass</u>
<u>Propoxur</u>	<u>ND</u>	<u>0.041</u>	<u>0.190</u>	<u>0.2</u>	<u>Pass</u>
<u>Pyrethrins</u>	<u>ND</u>	<u>0.019</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Pyridaben</u>	<u>ND</u>	<u>0.025</u>	<u>0.160</u>	<u>0.2</u>	<u>Pass</u>
<u>Spinetoram, Total</u>	<u>ND</u>	<u>0.034</u>	<u>0.200</u>	<u>1.0</u>	<u>Pass</u>
<u>Spinosad, Total</u>	<u>ND</u>	<u>0.033</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Spiromesifen</u>	<u>ND</u>	<u>0.019</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Spirotetramat</u>	<u>ND</u>	<u>0.010</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Spiroxamine</u>	<u>ND</u>	<u>0.018</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Tebuconazole</u>	<u>ND</u>	<u>0.015</u>	<u>0.200</u>	<u>0.4</u>	<u>Pass</u>
<u>Thiacloprid</u>	<u>ND</u>	<u>0.005</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Thiamethoxam</u>	<u>ND</u>	<u>0.014</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>
<u>Trifloxystrobin</u>	<u>ND</u>	<u>0.045</u>	<u>0.100</u>	<u>0.2</u>	<u>Pass</u>

Note: Testing limits are based on the limits set forth by the New York Office of Cannabis Management pursuant to 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.
ND = Not Detected; LOD = Limit of Detection; LOQ = Limit of Quantitation; ppm = Parts Per Million.